FREEDOM DIAGNOSTICS

# Certificate of Analysis

FreedomDiagnosticsTesting.com

Admin@FreedomDiagnostics.net




| | |
|---|---|
| **Client:** | Precision Research Labs |
| **Accession #:** | 2610090805 |
| **Search Code:** | Prec2610090805 |
| **Received:** | 10/9/2026 |
| **Reported:** | 10/10/2026 |
| **Lot:** | BA10-09/26 |

## Sample Summary

| | | | |
|---|---|---|---|
| **Product:** | Bacteriostatic Water (BAC) 10ml | **Purity:** | Sample 1: 99.96%<br>Sample 2: 99.96%<br>Sample 3: 99.96% |
| **Identity:** | Confirmed | **Net Content:** | Sample 1: 0.83%<br>Sample 2: 0.83%<br>Sample 3: 0.82% |
| **Appearance:** | Clear Liquid | | |
| **Endotoxin Threshold:** | Pass | | |
| **Microbial Analysis (PCR):** | Pass | | |
| **Fentanyl** | No Fentanyl Detected | | |

## Analytical Results

| **Test** | **Result** |
|---|---|
| **Identity (LC-MS)** | Benzyl Alcohol |
| **Purity (HPLC-UV)** | 99.96% |
| **Net Content** | 0.83 % |

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.


| | | |
|---|---|---|
| **Endotoxin Replicate 1:** | **Pass** | **Assay Sensitivity: ≤0.05 EU/mL** |
| **Endotoxin Replicate 2:** | **Pass** | **Assay Sensitivity: ≤0.05 EU/mL** |

Method: Microbial detection performed using validated polymerase chain reaction (PCR)-based assay targeting common microbial contaminants.


| | |
|---|---|
| **Microbial Analysis (PCR)** | No Detectable Microbial DNA |

Method: HPLC with UV detection coupled with mass spectrometry (LC-MS).

**Chromatogram**




**Mass Confirmation**




Principal Chemist

FreedomDiagnosticsTesting.com
Admin@FreedomDiagnostics.net
**Proudly Owned and Operated in the USA**

The peptide purity analysis reported here was conducted using LCMS/MS under standard laboratory conditions. This analysis is intended for informational purposes only and is specific to the sample(s) provided. The peptides tested are intended for research use only and are not approved for human or veterinary use, diagnostic, therapeutic, or clinical applications. Results should be interpreted by qualified professionals within the scope of the intended research. The accuracy and reliability of the test may be influenced by sample integrity, handling, and other experimental variables.