KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-895EA4

Client: Precision Research Labs

Certified: 09/13/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	PRL-2 TRZ	**Form**	Lyophilized Powder
Batch	GRY-09/26	**Labeled Qty**	30 mg
Cap Color	Gray	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.655% ✓
Batch Avg Net Content	(~30mg)	30.78 mg ✓
Identity Confirmation (LC-MS)	(PRL-2 TRZ)	PRL-2 TRZ ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Fentanyl Presence Analysis	(Not Detected)	Not Detected ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.781	30.92
Vial 2	99.664	30.31
Vial 3	99.519	31.12
Batch Average	**99.655%**	**30.78 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-895EA4
Access Code: RUCDK8N