KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-A1ECDC

Client: Precision Research Labs

Certified: 09/13/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	DSIP	**Form**	Lyophilized Powder
Batch	RED-09/26	**Labeled Qty**	10 mg
Cap Color	Red	**Crimp Color**	Silver

TEST RESULTS

	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.785% ✓
Batch Avg Net Content	(~10mg)	10.81 mg ✓
Identity Confirmation (LC-MS)	(DSIP)	DSIP ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Fentanyl Presence Analysis	(Not Detected)	Not Detected ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓

HEAVY METAL SCREENING


Analyte	Result	Status
Arsenic (As)	Negative	✓
Cadmium (Cd)	Negative	✓
Lead (Pb)	Negative	✓
Mercury (Hg)	Negative	✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.751	10.64
Vial 2	99.881	10.87
Vial 3	99.724	10.92
Batch Average	**99.785%**	**10.81 mg**

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-A1ECDC
Access Code: ROBUJQL