KOVERA LABS

CERTIFICATE OF ANALYSIS

REPORT # KVR-2026-D0F27F

Client(s): Precision Research Labs

Certified: 10/29/2026

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	PRL-2 TRZ	**Form**	Lyophilized Powder
Batch	WHT-10/26	**Labeled Qty**	30 mg
Cap Color	White	**Crimp Color**	Silver

TEST RESULTS


	REFERENCE STANDARD	RESULT
Batch Avg Purity	(>98%)	99.863% ✓
Batch Avg Net Content	(~30mg)	30.78 mg ✓
Identity Confirmation (LC-MS)	(PRL-2 TRZ)	PRL-2 TRZ ✓
Endotoxin Safety Screen	(≤0.5 EU/mL)	PASS ✓
Fentanyl Presence Analysis	(Not Detected)	Not Detected ✓
Microbial Sterility Screen	(No Growth)	No Growth ✓
Heavy Metal Screening	(Negative)	Negative ✓

BATCH CONFORMITY RESULTS

Vial	Purity (%)	Net Content (mg)
Vial 1	99.867	31.06
Vial 2	99.844	30.42
Vial 3	99.843	31.33
Vial 4	99.897	30.31
Batch Average	**99.863%**	**30.78 mg**

MASS SPECTRUM


ESI + mode, MS1 centroid Charge states confirmed **4**



Each coloured stick is a confirmed charge state of the compound(s) above, drawn at the intensity measured for that ion. Height is relative to the strongest confirmed ion and is not proportional to concentration; content is reported in the Test Results above.

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm





Lemar Arghandiwal
Lab Director

koveralabs.com/verify

Report#: KVR-2026-D0F27F
Access Code: BJ2Q73C